Rhodora

JOURNAL OF THE

NEW ENGLAND BOTANICAL CLUB

Conducted and published for the Club, by

ALBION REED HODGDON, Editor-in-Chief

ROLLA MILTON TRYON
RADCLIFFE BARNES PIKE
STEPHEN ALAN SPONGBERG
GERALD JOSEPH GASTONY
ALFRED LINN BOGLE
RICHARD EDWIN WEAVER

Associate Editors

VOLUME 75

1973

The New England Botanical Club, Inc.

Botanical Museum, Oxford St., Cambridge, Mass. 02138

INDEX TO VOLUME 75

New scientific names and combinations are printed in bold face type

Abies balsamea 314
Acacia tortuosa 416
Acalypha setosa 393
Acerates hirtella 398
Achillea millefolium 321
Acnida cannabina 57
Acorus calamus 54, 57, 61, 316
Acrochaetium alariae 541, 543-545; alcyonidii 273, 551, 554-556, 607; var. cylindricum 551, 554; americanum 588; amphiroae 551, 556, 607; antillarum 92; attenuatum 583, 607; avrainvillae 89, 563; bornetii 88, 557, 592; catenulatum 86, 557; collopodum 86, 557; compactum 86, 557; crassipes 86, 557; dasyae 273, 545, 602; daviesii 81, 550, 577, 602; dufourii 84, 85, 97; efflorescens 584; effusum 92; emergens 572, 607; endophyticum 92, 574; endozoicum 592; flexuosum 273, 532, 577, 582, 602; hallandicum 82; humile 569; hypneae 563; inclusum 592; infestans 89; intermedium 545, 548, 549, 607; kylinii 574, 592; Levringii 87; luxurians 94, 97, 575; microfilum 87, 558, 583, 607; microscopicum 86, 557; minimum 572, 607; moniliforme 87, 558; Nemalionis 89; opetigenum 549; pallens 563; polyides 587, 588, 607; radiatum 273, 569, 571, 583, 604, 607; ralfsiae 592; rhipidandra 541; robustum 549; sagraeanum 532, 551, 556, 590, 591, 593, 607; sagraeanum 560, 562, 577, 582; sargassi 84, 85, 97; savianum 560; secundatum 94, 575; subseriatum 545, 548; subsimplex 575, 582; subtilissimum 592; tenuissimum 576; thuretii 88, 551, 556, 560, 562, 563, 607; trifilum 272, 273; unifilum 563; unipes 549; virgatula 96, 97; virgatulum 94, 273, 576; f. luxurians 273, 576; f. tenuissimum 576; zosterae 545, 548, 549, 607
Actinastrum 266
Agardhiella tenera 274
Ageratum conyzoides 422; ssp. conyzoides 422; ssp. latifolium 422; latifolium 422
Agmenellum thermale 282; quadruplicatum 282
Agropyron repens, f. aristatum 314; f. pilosum 314; f. trichorrachis 314
Agrostis perennans 315; scabra 315; stolonifera, var. major 315; var. palustris 315; tenuis, f. aristata 315
Alabama and Middle Tennessee, Some Notes on the Flora of the Southern States, Particularly 366
Alaria esculenta 543
Alaska, New Record for the Yellow Lady's Slipper Orchid, Cypripedium calceolus L. ssp. parviflorum (Salisb.) Hult. from 491
Alaskan Species of Erigeron L. (Compositae), A New 116

Algae, Benthic, and Vascular Plants of the Lower Merrimack River and Adjacent Shoreline 52; of Virginia and Maryland, Including the Chesapeake Bay Area, the Marine 258
Allium cernuum 385; stellatum 384
Alnus crispa, var. mollis 317; rugosa, var. americana 317
Alopecurus pratensis 315
Alysicarpus vaginalis 390
Ambrosia artimisiifolia, var. elatior 321; bidentata 407
Amellus asper, var. canescens 192; var. glabriusculus 194; var. normalis 192
Ammophila breviligulata 56, 315
Amphicarpon floridanum 374; muhlenbergianum 374
Amphipleura rutilans 59, 60
Amsonia rigida 398
Anabaena inaequalis 292; sphaerica 292; torulosa 292
Anacystis cyanea 282; dimidiata 282; marina 283; montana, f. minor 283; f. montana 283; thermalis, f. thermalis 283
Anaphalis margaritacea, var. intercedens 321; var. subalpina 321
Andropogon arctatus 374; capillipes 375; divergens 375; hirtiflorus 375; littoralis 375; niveus 375; perangustatus 376; ternarius 374
Anthoxanthum odoratum 315
Antigonon leptopus 386
Antithamnion cruciatum 276
Aquatic and Wetland Plants of the Southwestern United States (Review) 114
Aralia hispida 319
Arenaria lateriflora 317; peploides, var. robusta 317
Arethusa bulbosa 316
Aristida tuberculosa 371
Aronia melanocarpa 390
Artemisia ludoviciana 409; stelleriana 56, 511
Arthrocladia villosa 564
Arthrospira brevis 284
Asclepias aceratoides 399; hirtella 398; quadrifolia 160; tomentosa 399; verticillata 135
Ascocyclus orbicularis 269
Ascophyllum nodosum 58, 271; f. scorpioides 271
Asparagopsis hamifera 273, 274
Asperococcus echinatus 270
Asplenium trichomanes 167
Aster acuminatus 1-4, 6-9, 11, 12, 15, 17-19, 21, 22, 27, 30, 321; Blakei 1-4, 6-9, 11-16, 17, 19-22; Chemical, Cytological and Genetic Evidence for the Hybridization of 1; X Blakei 321; chapmanii 405; Chromosome Numbers in 26; ciliolatus 27, 30; concinnus 26, 27, 30; cordifolius 27, 30; dumosus 166; eryngiifolius 405; foliaceus, var. arcuans 321; gracilis 26, 27, 30; johannensis 321; junciformis 27, 30; lateriflorus 27, 30; lowerianus 28, 30; macrophyllus 28, 30; nemoralis 1-4, 6-9, 11, 12, 15, 17-22, 321; x acuminatus 13-15; novi belgii 56; patens 28, 31; pilosus 28, 31; puniceus 28, 31; sagittifolius 28, 31; simplex 28, 31; spectabilis 29, 31, 405; subulatus 57; umbellatus 29, 31, 321; undulatus 26, 29, 31
Astragalus atlasovi 304, 305; polaris 304; A Range Extension and a New Synonym for 304; tennesseensis 135, 136, 138
Athanasia hastata 184, 185
Athyrium filix-femina, var. michauxii, f. rubellum 314

Atriplex glabriuscula 314; patula 53; var. hastata 56, 106-110, 317; Variation in the Seed Size of 106
Audouinella **alariae** 534, 541, 543-545, 550, 555, 596 fig., 597 fig., 608, 609; attenuatum 584; australis 564, 565; Complex (Acrochaetiaceae, Rhodophyta) in the Northeastern United States, The Morphology and Systematics of the 529; Complex (Rhodophyta) in the Western Sargasso Sea, The 78; **dasyae** 534, 545, 547-550, 598, 599, 607, 610; daviesii 79, 81, 82, 533, 550, 553-556, 563, 582, 585, 591, 592; efflorescens 557, 584, 585, 608; **hallandica** 79, 80, 82, 83, 85, 97; hermanni 535; intermedium 610; membranacea 566, 608; microscopica 79, 80, 86, 88, 534, 557, 559, 565, 583, 601, 607, 608; **purpurea** 530, 534, 536, 539-41, 568, 587, 601, 608; saviana 534, 560-63, 584, 591, 592, 602, 607, 610; **spetsbergense** 585, 587, 603, 608; thuretii 79, 81, 88, 89, 560, 610; **unifila** 534, 563, 565, 601; zosterae 610
Averett, John E., Biosystematic Study of Chamaesaracha (Solanaceae) 325
Avicennia germinans 102-105; Salt Concentrations in Ground Waters Beneath Rhizophora mangle and 102
Azalea austrina 396
Azorella selago 241

Bahama Flora Since Britton and Mllspaugh, Additions to the 411
Bangia ciliaris 272; fuscopurpurea 272
Baptisia australis 159
Barkley, T. M. see Kowal, Robert R.
Barneby, R. C., A Range Extension and a New Synonym for Astragalus polaris, Benth. 304
Baskin, Carol C. see Baskin Jerry M.
Baskin, Jerry M. and Carol C. Baskin, The Past and Present Geographical Distribution of Petalostemon foliosus and Notes on Its Ecology 132
Betula papyrifera, var. cordifolia 316
Bidens cernua 321, 408; frondosa 321; nivea 170, 171, 184; tripartita 408
Blidingia minima 58
Bocconia frutescens 415
Boehmeria nivea 386
Book reviews 114, 140, 323, 622
Bostrychia radicans 280; f. moniliforme 280; rivularis 280
Botrychium biternatum 366; lunarioides 366
Boufford, David E., New or Noteworthy New Hampshire Plants 158
Bougainvillea glabra 415
Bowler, Peter A. and Phillip W. Rundel, The Status of Ramalina subampliata (Nyl.) Fink in North America 306
Bowley, Donovan R., The Environment of Schistostega pennati (Hedw.) Hook & Tayl.: New Vermont Stations 149
Brachiaria extensa 372; platyphylla 372
Bryopsis hypnoides 267; plumosa 327
Bulbostylis capillaris 378
Byssus purpurea 536

Cacalia diversifolia 409; tuberosa 136

Caesalpina divergens 416
Cakile edentula 318
Calamagrostis canadensis, var. canadensis 315
Calea aspera 171, 192
Callicarpa americana 420
Callithamnion baileyi 276; byssoides 276; corymbosum 276; daviesii 81, 550, 555, 577; var. secundatum 94, 575; efflorescens 584; entozoicum 569, 589; luxurians 94, 96, 575; membranaceum 566, microscopicum 86, 557; purpureum 536; rothii 537; savianus 560, 563, secundata 94, 575; virgatulum 94, 545, 550, 576, 581
Callitriche verna 319
Caloglossa lepricurii 279
Calopogon tuberosus 316
Calothrix confervicola 292; crustaceae 292; pulvinata 293
Canna flaccida 385
Capsella bursa-pastoris 318
Cardamine bulbosa 388; douglassii 388; pratensis 160
Carex abscondita 251; aestivalis 251, 253; alata 251, 253; albolutescens 250, 254; albursina 250, 253; amphibola 250; annectens 250; arenaria 252; argyrantha 250, 253; artitecta 250; atlantica 250; austro-caroliniana 380; baileyi 251, 254; barrattii 251, 253; Bigelowii 156; biltmoreana 249, 252, 253; blanda 250; brevior 249, 253; bromoides 250, 254; brunnescens 249, 253; var. sphaerostachya 315; bullata 251, 253; bushii 250, 253; buxbaumii 249, 254, 255; canescens 249, 254; var. disjuncta 315; var. subloliacea 315; capitata 155, 156; careyana 250, 253; caroliniana 250; cephalantha 315; cephalophora 250; chapmannii 249, 252, 253; cherokeensis 249, 251, 253; collinsii 251, 253; communis 250, 253, 380; comosa 250, 253; complanata 250; conjuncta 250, 253; conoidea 316; crawei 381; crebriflora 251; crinita 250; cristatella 250, 253; cruscorvi 251, 253; dasycarpa 381; debilis 250; decomposita 251, 253; dichotoma 269; digitalis 250; divisa 252; eburnea 250, 253; emmonsii 250, 253; extensa 249, 252; festucacea 250; flaccosperma 251; folliculata 250, 254; frankii 250; gigantea 251, 253; glaucescens 251, 253; gracilescens 250; gracillima 251; granularis 250; grayi 251, 253; grisea 250; hitchcockiana 251, 253; hormothodes 315; howei 250, 253; hyalinolepis 251, 253; hystricina 250, 253; interior 250, 253; intumescens 250, 252; jamesii 250, 254; joori 251, 253; kobomugi 252; laevivaginata 250; lasiocarpa 249, 254, 255; laxiculmis 251; laxiflora 250; leavenworthii 250; leptonervia 251, 253; leptalea 250, 254, 316; louisianica 251, 253; lupuliformis 250, 253; lupulina 250; lurida 249, 250; microdonta 381; muhlenbergii 250; muricata 249, 253; nigromarginata 250; normalis 251; novi-angliae 316; oligocarpa 250, 254; oxylepis 251, 253; paleacea 316; pallescens 249, 253; var. neogaea 316; paupercula, var. irrigua 316; pedunculata 249; pensylvanica 249; physorhyncha 250; plantaginea 167, 251, 253; platyphylla 251; polymorpha 249, 251, 253; prasina 251,

254; reniformis 251, 253; retroflexa 250; rosea 250; rostrata 249, 253; salina 56; scabrata 251, 254; scoparia 250; scorsa 251, 254; shortiana 251, 253; sparganoides 250, 254; spicata 252; squarrosa 251; stipata 250, 315; striatula 250; stricta 250; styloflexa 250; suberecta 251, 253; swanii 251, 254; tenera 251; tenax 381; tetanica 249, 251, 253; torta 251, 254; tribuloides 250, 315; trichocarpa 249, 251, 253; trisperma 251, 253, 315; typhina 250, 253; umbellata 250, 253; validior 381; venusta 251, 253; vestita 251, 253; virescens 251, 254; viridula 316; vulpinoidea 250; walteriana 251, 253; willdenowii 250, 254; woodii 249, 251, 253
Carices of Virginia, Phytogeography of the 248
Carum carvi 319
Carya alba 38; cordiformis 34, 36, 38, 41, 48; glabra 34, 36, 37, 44; var. odorata 34; glabra-ovalis 44, 46, 47, 49; ovalis 34, 36, 37, 42, 44; ovata 34, 36, 40, 41, 45, 49; tomentosa 34, 37, 38 48
Cassandra calyculata, var. angustifolia 320
Cassia deeringiana 390; fasciculata 136; nicitans 158
Cedrela odorata 417
Cenchrus gracillimus 412
Ceramium daviesii 81, 550; diaphanum 276; fastigiatum 276; rubriforme 277; rubrum 277; secundatum 94, 575; strictum 278; violaceum 537
Cerastium vulgatum 317
Chaetomorpha area 266; linum 266
Chamaesaracha boliviensis 364; coniodes 326, 328, 329, 334, 339, 341, 355, 357, 359, 360, 362; coronopus 326-328, 334, 337-342, 345, 349; crenata 326, 328, 331, 334, 338, 351-354; echinata 364; edwardsiana 328, 334, 339, 341, 344, 345, 347-349; grandiflora 364; heterophylla 364; japonica 364; nana 364; pallida 326, 328, 334, 339, 345-349, 355; physaloides 364; potosina 364; savatieri 364; sinensis 364; (Solanaceae), Biosystematic Study of 325; sordida 326-328, 334, 339, 347, 353, 355, 356, 358; villosa 328, 334, 338, 349, 350, 351, 353, 354; watanabei 364
Champia parvula 275
Chantransia alariae 541; attenuata 583; catenulata 86, 557; collopoda 86, 557; corymbifera 88, 551, 556, 563; crassipes 86, 558; dasyae 545; daviesii 81, 550, 577; dufourii 84, 85; efflorescens 584; var. thuretii 88, 55, 556, 560, 563; emergens 92, 572, 574, 605, 611; endozoica 92; flexuosum 532, 577, 582; hallandica 84; humilis 569; infestans 91; luxurians 94, 575; macounii 549; microscopica 86, 557; minima 572; moniliformis 87, 558; parvula 85; polyides 587; rhipidandra 541, 544, 609; sagraeana 551, 560, 577, 591; sargassi 84; saviana 560; secundatum 94, 541, 545, 558, 575, 580; tenuissima 576; thuretii 88, 560, 562; unilateralis 544; virgatula 94, 541, 545, 560, 576, 580; var. luxurians 576; f. tenuissima 576, 581
Chasmanthium nitidum 369
Chenopodium album 317

Chesapeake Bay Area, The Marine Algae of Virginia and Maryland, Including the 258
Chimaphila maculata 162-164; (L.) Pursh in Maine and New Hampshire 162
Chinnappa, C. C. see Gill, L. S.
Chiogenes hispidula 320
Chlorella 265
Chondria baileyana 280; sedifolia 280; tenuissima 280
Chondrus crispus 275
Choris floridana 370
Chromastrum alariae 541; collopodum 86, 557; compactum 86, 557; crassipes 87, 558; hallandicum 84; humile 569; infestans 91; microscopicum 86, 557; moniliforme 87, 558; rhipidandra 541; secundatum 94, 575; unifilum 564; virgatulum 94, 576
Chromosome Pairing in Obligately Apogamous Ferns; Pellaea atropurpurea and Pellaea glabella, var. glabella 122
Chroococcus turgidus 283
Chrysanthemum leucanthemum, var. pinnatifidum 321
Cienfuegosia heterophylla 418; yucatanensis 418
Cinna arundinacea 315; latifolia 315
Circaea alpina 319
Cirsium arvense 321; vulgare 321
Citrus aurantium 417
Cladophora albida 266; crystallina 266; expansa 266; fasciculatis 266; flexuosa 267; var. densa 267; gracilis 267; magdalenae 267; rupestris 267; sagraena 590
Clematis dioscoreifolia 158, 159; var. robusta 158
Clerodendrum speciosissimum 421
Closterium gracile 261
Coccochloris elabens 283; peniocystis 283; stagnina 283
Coccothrinax argentata 414; inaguensis 414
Coelopleurum lucidum 319
Colaconema americana 574, 588, 589, 608, 611; bonnemaisoniae 94, 566; humilis 534, 569-571, 583, 604, 607; **infestans** 79, 80, 89, 90 fig., 92, 94; **membranacea** 534, 556, 568, 569, 590, 603, 608; **minima** 534, 572-574, 588, 589, 605, 607, 611; nakamurai 564; polyides 587; porphyrae 92
Colaconema **secundata** 79, 81, 93-97, 532, 533, 555, 556, 575, 579, 581, 582, 591, 592, 606-608; tenuissima 576
Collinsonia canadensis 400
Colobanthus kerguelensis 240
Colt, L. C., Jr. and Steven Swartz An Unusual Substrate for Polysiphonia paniculata Montagne 488
Colubrina asiatica, var. asiatica 418
Conchocelis rosea 608
Conferva daviesii 81, 550; purpurea 536; rothii 537; rupestris 95; violacea 537
Conopholis americana 167
Convolvulus sepium 320; f. malachophyllus 320
Conyza bonariensis 406
Coptis groenlandica 318
Corculum leptopus 386
Cornus amomum, ssp. microcarpa 396; canadensis 319; purpusii 396
Cotula plumosa 241
Crotalaria lanceolata 391
Croton alabamensis 371; discolor 417; linearis 417
Cuphaea carthaginensis 393
Cyathea weatherbyana 144
Cymophyllum fraseri 252, 253

Cynanchum graminifoium 420
Cyperus aristata 413; dentatus 379; difformis 379; globosus 414; globulosus 414
Cypripedium calceolus 491; ssp. parviflorum 491; From Alaska, New Record for the Yellow Lady's Slipper Orchid 491; guttatum 491; passerinum 491
Cystopteris fragilis 239

Danthonia spicata 315
Dasya pedicillata 279
Delphinium virescens 136
Dennstaedtia punctilobula 315
Dentaria laciniata 158, 160
Deschampsia flexuosa 315, 371
Desmanthus illinoensis 136
Desmotrichum undulatum 270
Dianthus prolifer 387
Diarina festucoides 369
Diarrhena americana 369
Dicentra canadensis 158, 161
Dichothrix penicillata 292
Dichromena colorata 379; latifolia 380
Dictyosiphon foeniculaceus 270
Digitalis lutea 159
Diodia hirsuta 403
Dioscorea bulbifera 414
Diplotaxis muralis 388
Distichlis spicata 57
Drosera rotundifolia 318
Dryopteris cristata 314; Goldiana 167; spinulosa, var. americana 314
Drysdale, Frank R. Variations of Seed Size in Atriplex patula, var. hastata (L.) Gray 106

Eastman, Lesley M. Some New Locals in the Maine Flora 166; see also Hodgdon, A. R.
Echinocephalum latifolium 173, 180
Ectocarpus confervoides 58, 260; elachistaeformis 268; penicillatus 268; siliculosis 268
Eichornia crassipes 486, 487; subovata 478
Elachistea fucicola 58, 62, 269
Eleocharis acicularis 57; elliptica 315; flavescens 377; geniculata 414; halophila 315; melanocarpa 376; olivacea 377; robbinsii 377; smallii, var. major 315; tricostata 377; wolfii 378
Elephantopus cuneifolius 184
Elymus arenarius, var. villosa 315; virginicus 315
Emilia javanica 423; sonchifolia 423
Empetrum nigrum 319
Enteromorpha erecta 58, 60, 62, 263; clathrata 262; compressa 262; groenlandica 58, 60; intestinalis 58, 263; lingulata 263; linza 58, 263; marginata 264; micrococca 264; minima 264; plumosa 264; prolifera 264
Entocladia viridis 261; wittrockii 262
Entophysalis conferta 284; deusta 284
Epilobium angustifolium 319; ciliatum 394; glandulosum, var. adenocaulon 319
Epipactis Helleborine 166
Equisetum arvense, var. boreale 313; sylvaticum, var. pauciramosum 313
Eragrostis amabilis 369; ciliaris 413; var. laxa 412; excelsa 412; urbaniana 413
Erigeron L. (Compositae), A New Alaskan Species of 116
Erigeron grandiflorus 116, 118, 119; **Hultenii** 116-119; hyperboreus 118; Muirii 118; myrionactis 406; peregrinus 118, 119; repens 406; simplex 118; uniflorus, ssp. eriocephalus 118

Eriocaulon lineare 369, 382; texense 383
Eriophorum angustifolium 315; spissum 315; virginicum 315
Erythroclada subintegra 272
Erythrotrichia rhizoides 272
Euphrasia americana 320; randii 320

Faasen, Paul Van Chromosome Numbers in Asters 26
Fantz, Paul R. see Lewis, Walter H.
Faust, W. Z and S. B. Jones, Jr. The Systematic Value of Trichome Complements in a North American Group of Vernonia (Compositae) 517
Festuca myuros 369; rubra, var. rubra 314
Filipendula ulmaria 318
Fimbristylis annua 414; autumnalis 414; perpusilla 378, 379; puberula 368
Flaveria bidentis 422; trinervia 422
Forestiera ligustrina 135
Fosliella farinosa 274; lejoisii 274
Fothergilla major 389
Fragaria virginiana 318
Fralick, Richard A. see Mathieson, A. C.
Fremyella grisea 293
Fucus vesiculosis 58, 262, 269, 270; var. sphaerocarpus 271; var. spiralis 58, 60
Fuirena pumila 376

Gaillardia pulchella 422
Galapagos Islands, Flora of (Review) 140
Galeopsis tetrahit, var. bifida 320
Galium trifidum 321
Gelidium crinale 274
Geranium robertianum 392
Geum laciniatum 390
Giffordia duchassaiginiana 268
Gilia achilleaefolia, ssp. achilleaefolia 235; ssp. multicaulis 235
Gill, L. S. and C. C. Chinnappa A Note on the Karyology of Haplopappus spinulosus (Pursch) DC., ssp. typicus Hall 220
Gillis, Wm. T., Richard A. Howard and George R. Proctor Additions to the Bahama Flora Since Britton and Millspaugh 411
Glandularia drummondii 400
Glaux maritima 320
Gnaphalium uliginosum 321
Gomontia polyrhiza 265
Gomphosphaeria aponina 283; lacustris 284
Goniotrichum alsidii 271
Goodyera repens, var. ophioides 316
Gracilaria foliifera 274; verrucosa 275
Grand Manan, New Brunswick, The Vascular Flora of Kent Island 311
Grania efflorescens 584
Griffithsia tenuis 278
Grinnelia americana 262, 280
Guilandina divergens 416
Gutierrezia dracunculoides 404
Gyrotheca tinctoria 385

Habeneria Hookeri 166; obtusata 316
Haplopappus spinulosus, ssp. cotula 221; ssp. spinulosa 224; ss. typicus 220, 221, 223; A Note on the Karyology of 220
Harms, Vernon L. New Record for the Yellow Lady's Slipper Orchid, Cypripedium calceolus L., ssp. parviflorum (Salisb.) Hult. From Alaska 491
Harrisia undata 419

Harvill, A. M., Jr. Phytogeography of the Carices of Virginia 248
Haynes, Robert R. and James L. Reveal A Re-evaluation of Potomageton fibrillosus Fern. (Potomagetonaceae) 75
Hedeoma drummondii 400
Hedyotis nigricans, var. filifolia 421
Helenium autumnale 136
Heracleum maximum 319
Heteranthera limosa 486, 487
Hibiscus acetosella 418
Hickories in New England, The Northern Limits of the Distribution of 34
Hieracium aurantiacum 322; floribundum 322; pilosella 322; pratense 322; umbellatum 159, 161; vulgatum 159
Hildenbrandia prototypus 59, 61
Hill, Michael L. and O. M. Rogers Chemical, Cytological and Genetic Evidence for the Hybrid Origin of Aster Blakei (Porter) House 1
Hippurus vulgaris 319
Hodgdon, A. R. Flora of the Galapagos Islands (Review) 140; The Genus Lesquerella (Cruciferae) in North America (Review) 622; and Lesley M. Eastman Chimaphila maculata (L.) Pursh. in Maine and New Hampshire 162; see also McClair, John; Steele, F. L.
Homalobus amblyodon 304
Hordeum jubatum 314
Howard, Richard A. A Partial History of the New England Botanical Club 493; see also Gillis, Wm. T.
Hudsonia tomentosa 56
Hydrocoleum holdenii 285
Hydrocotyle umbellata 420
Hypericum virginicum, var. fraseri 319
Hypnea musciformis 274
Hypochaeris glabra 409
Hypoxis juncea 385
Hyptis mutabilis 482

Impatiens capensis, f. immaculata 319
Ipomoea muricata 399; nil 420
Iris versicolor 316
Isnardia spathulata 394
Isoetes butleri 367, 368; melanopoda 367, 368
Isotria medeoloides 166, 167
Iva annua 407; ciliata 407; microcephala 406

Jasminum fluminense 420
Jones, S. B., Jr. see Faust, W. Z.
Juncus brachycephalus 384; brevicaudatus 316; bufonius 316; var. halophilus 316; effusus, var. compactum 316; filiformis 316; gerardi 57, 316; nodatus 384; roemerianus 414; tenuis 316
Juniperus communis, var. depressa 314

Kalmia angustifolia 320
Kerguelen Islands, Palynological Evidence for the Late Glacial Occurrence of Pringlea and Lyallia on 239
Kiang, Y. T. Floral Structure, Hybridization and Evolutionary Relationship of Two Species of Mimulus 225
Kowal, Robert R. and T. M. Barkley Senecio anonymous Wood, An Earlier Name for Senecio smallii Britton 211
Kral, Robert Some Notes on the Flora of the Southern States,

Particularly Alabama and Middle Tennessee 366
Kylinia alariae 541, 608; australis 564; catenulata 86, 557; collopoda 86, 557; compacta 86, 557, 608; crassipes 87, 558; cytophaga 592; dufourii 84; hallandica 84, 608; humile 569; infestans 91; microscopica 86, 557; moniliformis 87, 558, 608; rhipidandra 541; secundata 94, 575, 608; sargassi 84; unifila 564, 608; virgatula 94, 576, 608; f. luxurians 576

Lachnanthes caroliniana 382, 385
Lachnocaulon digynum 383; engleri 383; minus 369, 384
Laciniaria chapmanii 404
Lactuca saligna 410
Laguncularia racemosa 103, 105
Laminaria digitata 58; saccharina 59
Larix laricina 314
Lathyrus japonicus 319
Leathesia difformis 269
Ledum groenlandicum 320
Leontodon autumnalis, var. pratensis 321
Lepidium filicaule 416; virginicum 416
Leptilon bonariense 406
Leptochloa fascicularis 370; uninervia 370
Lesquerella (Cruciferae) in North America, The Genus (Review) 622
Leticula resupinata 403
Leucophysalis grandiflora 332, 364; heterophylla 364; nana 364
Lewis, Walter H. and Paul R. Fantz Tribal Classification of Triosteum (Caprifoliaceae) 120
Liagorophila endophytica 574
Liatris chapmanii 404
Ligusticum scothicum 319
Limonium carolinianum 53, 56; nashii 320
Lindernia crustacea 403
Linnaea borealis, var. americana 321
Linum westii 392
Listera cordata 316
Lobelia Kalmii 160
Lomentaria baileyana 276
Lonchocarpus sericeus 416
Lonicera canadensis 321
Lowden, Richard M. Revision of the Genus Pontederia L. 426
Ludwigia spathulata 394; sphaerocarpa 395; suffruticosa 395
Luzula multiflora 316
Lyallia kerguelensis 241, 243; on Kerguelen Islands, Palynological Evidence for the Late Glacial Occurrence of Pringlea and 239
Lycopodium alopecuroides 368; annotinum, var. acrifolium 313; clavatum 144, 256; lucidulum 256; obscurum, f. dendroideum 313; prostratum 368
Lycopus uniflorus 320; virginicus 320
Lyngbya 60; aerugineo-coerula 285; aestuarii 285; confervoides 285; gracilis 285; lutea 285; semiplena 286
Lysimachia gramineum 397; lanceolata 398; quadrifolia 398; terrestris 320
Lythrum salicaria 56

Maianthemum canadense 316
Maine Flora, Some New Locals in the 166
Maine and New Hampshire, Chimaphila maculata (L.) Pursh in 162
Manisuris rugosa 374; tuberculosa 374

Manning, Wayne E. The Northern Limits of the Distribution of Hickories in New England 34
Marshallia mohrii 368, 408
Maryland, Including the Chesapeake Bay Area, The Marine Algae of Virginia and 258
Mastigocoleus 293
Mathieson, A. C. and Richard A. Fralick Benthic Algae and Vascular Plants of the Lower Merrimack River and Adjacent Shoreline 52
Matricaria maritima, var. agrestis 321; matricarioides 321
Maytenus buxifolia 418; phyllanthoides 418
McCain, John, R. B. Pike and A. R. Hodgdon The Vascular Flora of Kent Island, Grand Manan, New Brunswick 311
Medicago minima 391; orbicularis 391
Melanthera amethystina 192; angustifolia 172, 174, 176-179, 181, 183, 187, 197-199, 202, 206; var. subhastata 198; aspera 169, 171, 177, 180, 181, 188, 190, 192, 206; var. aspera 174, 176, 177, 182, 184, 187, 188, 190, 192, 193; var. glabriuscula 171, 173, 174, 176, 177, 181, 182, 184, 187, 194, 195, 207; brevifolia 194; buchii 192; calcicola 194; canescens 192; carpenteri 184; (Compositae), A Revision of North American and Caribbean 169; confusa 194; corymbosa 192; crenata 194; deltoidea 192; fruticosa 206; hastata 171, 184, 186, 188; ssp. cubensis 193; var. cubensis 192; var. lobata 184; var. pandurata 184; var. parvifolia 200; hastifolia 206; lanceolata 198, 199; ligulata 172, 174, 176, 177, 180, 183, 187, 199, 203-205; linearis 177, 198; Linnaei 192; lobata 184; microphylla 198; molliuscula 192; montana 193; nivea 170, 171, 173, 174, 176, 177, 180, 183-188, 199, 205-207; oxycarpha 184; oxylepis 184, 188; panduriformis 171, 184; parviceps 206, 207; parvifolia 172, 174, 176-180, 182, 187, 199-201; purpurascens 198, 199; radiata 179, 200; trilobata 184; urticifolia 192
Melica nitens 371
Meliotus alba 416
Melosira 59
Menyanthes trifoliata, var. minor 320
Merismopedia 60; glauca 284
Merremia tuberosa 420
Merrimack River and Adjacent Shoreline, Benthic Marine Algae and Vascular Plants of the Lower 52
Mertensia maritima 320
Mesadenia diversifolia 409
Metastelma graminifolium 420
Miconia Robinsoniana 144
Microcoleus chthonoplastes 286; lyngbyaceus 287; tenerrimus 287; vaginatus 287
Micromenia bahamensis 421; brownei 421
Mimulus, Floral Structure, Hybridization and Evolutionary Relationship of Two Species of 225; guttatus 225-237; nasutus 225-237
Mirabilis longiflora 235; nyctaginea 161
Monanthochloë littoralis 413
Monarda clinopodia 482
Moneses uniflora 319
Monochoria hastata 431

Monostroma leptodermum 262; oxyspermum 58, 60, 262
Monotropa hypopithys 320; uniflora 319
Morinda citrifolia 421
Morrow, Loring and Norton H. Nickerson Salt Concentrations in Ground Waters Beneath Rhizophora mangle and Avicennia germinans 102
Mosla dianthera 401
Muhlenbergia frondosa 372; glabriflora 371
Myrica gale 316
Myrionema strangulans 269
Myriotrichia subcorymbosa 269
Myriophyllum exalbescens 395; heterophyllum 115; pinnatum 115

Najas marina 412
Narukila cordata 454; var. lancifolia 454, 562
Nemalion multifidum 273
New Brunswick, The Vascular Flora of Kent Island, Grand Manan 311
New England, The Northern Limits of the Distribution of Hickories in 34
New Hampshire, Chimaphila maculata (L.) Pursh in Maine and 162; Plants, New or Noteworthy 158; Two Interesting Plants on Mt. Cardigan, Orange, 155
Nickerson, Norton H. and Joseph W. Tripp Floral Dimorphism in Rachicallis americana (Jacq.) Hitch. (Saltwater Bush) 111; see also Morrow, Levring
Nodularia harveyana 292
Nuphar luteum 68; microphyllum 65-71, 73; Some Morphological Aids in Distinguishing From Similar Aquatics 65; X rubrodiscum 66-68, 70, 73; variegatum 66-70
Nymphoides cordata 65, 70-73

Oenothera perennis 319
Onoclea sensibilis 313
Oscillatoria 60; amphibia 287; brevis, var. neapolitana 287; laetevirens 287; lutea 288; margaritifera 288; nigro-viridis 288; princeps 288; retzii 288; salinarum 288; splendida 289; submembranaceae 289; subuliformis 289
Osmunda cinnamomea 313
Ott, Franklyn D. The Marine Algae of Virginia and Maryland, Including the Chesapeake Bay Area 258
Oxalis montana 319
Oxopolis filiformis 420

Panax quinquefolium 167
Panicum adspersum 373; amarum 373; capillare 136; echinulatum 413; linearifolium 373, 374; malacophyllum 373; rigidulum 166; webberianum 373; werneri 374
Parks, James C. A Revision of North American and Caribbean Melanthera (Compositae) 169
Paspalum bakeri 413; laxum 413, minus 372; molle 413; propinquum 413; urvillei 413; vaginatum 372
Pediastrum boryanum 266; duplex 266; simplex 266
Pellaea atropurpurea 122-125, 127-130; And Pellaea glabella, var. glabella, Chromosome Pairing in Obligately Apogamous Ferns 122; glabella 122; var. glabella 123, 124, 126-130; var. occidentalis 129
Percursaria percursa 264

Pernettya Howellii 142
Persicarria bicornis 386
Petalonia fascia 59, 62, 270
Petalostemon foliosus 132-138; The Past and Present Geographical Distribution of, and Notes on Its Ecology 132
Philactis Liebmannii 206
Phleum pratense 315
Phlox divaricata 397; pilosa, var. ozarkana 400
Phoenix dactylifera 414
Phormidium persicinum 289; retzii 289; submembranaceum 289; unciniatum 289; weissi 289
Physaliastrum japonicum 364; savatieri 364
Physalis lobata 333; 364; longifolia 402; sinensis 364; subglabrata 402; wrightii 333
Phytolacca purpurascens 415
Picea glauca 314; mariana 314; rubens 3
Pike, R. B. see McCain, John
Pilaiella littoralis 59
Pinus elliotti 177
Piriqueta caroliniana 419; tomentosa 419; viridis 419
Pisonia floribunda 143
Plantago hookeriana 403; juncoides 56; var. decipiens 320; var. glauca 321; major 320; oliganthos 56, 321; patagonia 403; virginica 421; wrightiana 403
Plectonema calothricoides 293; golenkinianum 293; tenebrans 293
Poa annua 314; compressa 314; Cookii 240; kerguelensis 240; palustris 314; pratensis 314
Poinsettia cyathophora 417, 418; heterophylla 418
Polanisia dodecandra 389
Polygonella fimbriata 386
Polygonum allocarpum 317; amphibium 317; erectum 386; hydropiper 57; hydropiperoides 317; lapathifolium 317; longistylum 386
Polysiphonia denudata 280; fibrillosa 59, 60; harveyi 281; nigrescens 281; novae-angliae 282; paniculata 488, 490; An Unusual Substrate For 488; subtillissima 282; urceolata 282
Pontederia angustifolia 452-454; brasiliensis 473; caerulea 453; cordata 426-429, 431, 433, 435, 443, 445, 447, 448, 450, 452-454, 460; f. albiflora 454; f. angustifolia 453, 454, 462; f. bernardi 455; f. brasiliensis 453, 454; f. latifolia 454; f. sagittata 467; f. taenia 455; var. albiflora 453; var. angustifolia 452; var. cordata 430, 436, 442, 446, 450-452, 456-458, 460, 464, 466, 484, 486, 487; var. lanceolata 462; var. lancifolia 436, 445, 446, 450, 454, 457, 458, 460, 461, 464, 467, 486, 487; var. ovalis 436, 445, 446, 450, 461, 464, 466, 486, 487; var. parviflora 471; var. sagittata 467; var. typica 453, 462; cordifolia 473; eriantha 473; hastata 427-429, 431; heterantherimorpha 462; L., Revision of the Genus 426; lagoënsis 478; lanceolata 462; f. brasiliensis 454; f. ovalis 466; f. trullifolia 454; var. vichadensis 466; lancifolia 460-462; nymphaeifolia 453; oblonga 462; ovalis 461, 466; ovata 427, 428; parviflora 430, 432, 434, 435, 437, 439, 441, 445, 446, 450, 469, 471-473, 484, 486, 487; reniformis 473; rotundifolia 430, 432-435, 438, 439, 441-443, 445, 446, 450, 473, 474, 476, 480, 484, 486, 487; var. nym-

phaeifolia 454; sagittata 430, 434, 435, 437, 445-447, 450, 460, 467-469, 478, 484, 487; schomburgkiana 478; **subovata** 435, 438, 443, 449, 450, 478-480
Porphyra leucosticta 59, 60, 62, 272; miniata 272; umbilicalis 59, 272
Porphyrosiphon notarisii 289; **splendidus 290**
Potamogeton fibrillosus 75, 76; A Re-evaluation of 75; foliosus 75, 76; var. **fibrillosus** 76, 77; var. foliosus 77
Potentilla anserina 318; egedei, var. groenlandica 57; norvegica 318, 390; tridentata 155
Psidium galapageium 143
Pseudendoclonium marinum 58, 61, 262
Pteridium aquilinum 144
Pteris vittata 412
Ptilimnium costatum 395
Ptilota serrata 59, 60, 62
Pucciniellia paupercula, var. alaskana 314
Punctaria latifolia 270; plantaginea 270
Pylaiella littoralis 268
Pyrus americana 318; decora 318; floribunda 318; malus 318
Pringle Herbarium, The 297
Pringlea and Lyallia on Kerguelen Islands, Palynological Evidence for the Late Glacial Occurrence of 239
Pringlea antiscorbutica 241, 242
Proctor, George R. see Gillis, Wm. T.
Protoderma marinum 262

Rachicallis americana 111-113; (Saltwater Bush), Floral Dimorphism in 111
Ralfsia verrucosa 59
Ramalina calicaris, f. pyrifera 307, 308; var. subamplicata 306, 307; f. subpapillosa 307, 308; canariensis 307; fastigiata, var. subampliata 306, 307; subampliata 306, 307, 309; (Nyl.) Fink in North America, The Status of 306
Ramium niveum 386
Ranunculus 57; acris 318; cymbalaria 318; Mosleyi 240
Ratibida columnaris 407; columnifera 407
Reimarochloa oligostachya 372
Reussia grazielae 474; lagoënsis 478; rotundifolia 474; subovata 478; **triflora** 449, 473, 478
Reveal, James L. see Robert R. Haynes
Reviews 114, 140, 323, 622
Rheum rhaponticum 317
Rhexia mariana 394; var. mariana 394; salicifolia 369, 394; virginica 394
Rhinanthes crista-galli, var. fallax 320
Rhizoclonium kockianum 267; riparium 58, 269; tortuosum 267
Rhizophora mangle 102-105; And Avicennia germinans, Salt Concentrations in Ground Waters Beneath 102
Rhodochorton amphiroae 551, 555; attenuatum 583; catenulatum 86, 551; concrescens 568; daviesii 81, 551; efflorescens 584; emergens 572; endophyticum 574; entozoicum 589, 590, 698; hallandicum 84; humile 569; infestans 91; intermedium 536; islandicum 536, 540; membranaceum 91, 94, 566; mesocarpum, var. penicilliformis 585; microscopicum 86, 557; moniliforme 87, 558; parasiticum 536, 540; penetrale 92;

penicilliforme 585, 586, 603, 608; purpureum 530, 536, 540, 608; rhipidandra 541; Rothii 540; spetsbergense 585; subsimplex 576; tenue 537, 540; tenuissimum 576, 581; thuretii 88, 560; virgatulum 94, 577
Rhododendron austrinum 396, 397; calendulaceum 396; canadense 320; canescens 397; maximum 163
Rhus aromatica 135
Rhyncheletrum repens 413; roseum 413
Rhynchospora capillacea 161; fernaldii 380; perplexa 368; pleiantha 380
Ribes glandulosum 318; hirtellum 318; lacustre 318
Rigby, Sylvia Jane Chromosome Pairing in Obligately Apogamous Ferns; Pellaea atropurpurea and Pellaea glabella, var. glabella 122
Rivularia nitida 293
Rogers, O. M. see Hill, L. Michael
Rorippa islandica, var. fernaldiana 318; var. hispida 318
Rosa rugosa 318
Rotala ramosier 422
Rubus chamaemorus 318; hispidus 318; idaeus, var. canadensis 318
Rudbeckia hirta 136, 407; mollis 407; triloba 136
Rumex acetosella 317; domesticus 317; fenestratus 317; orbiculatus 317; pallidus 317
Rundel, Phillip W. see Bowler, Peter A.
Ruppia maritima 142

Sabatia difformis 398; paniculata 398; quadrangula 398; stellaris 420
Sagina procumbens 317
Sagittaria isoetiformis 368
Salicornia europaea 53, 54, 56, 317
Salix amygdaloides 158, 161; rigida 385
Sanguisorba canadensis 256
Saracha coronopus 339; potosina 364
Sargasso Sea, The Audouinella Complex (Rhodophyta) in the Western 78
Sargassum fluitans, 79, 95; hystrix 271; natans 79, 84, 89, 95, 271
Sarracenia purpurea 318
Satureja rigida 421
Saxifraga rivularis 153, 154; In the White Mountains, New Hampshire, A New Station For 153
Scenedesmus acuminatus 266; opaliensis 266; quadricauda 266
Schistostega osmundacea 149; pennati 149; The Environment of, New Vermont Stations 149
Schizothrix arenaria 290; calcicola 290; tenerrima 290
Schoenolirion croceum 368
Schofield, Eileen K. see Young, Steven B.
Scirpus americanus 315; atrocinctus 315; atrovirens 315; cyperinus 315; debilis 376; maritimus 54, 61; var. fernaldi 57; purshianus 376; validus 54, 57, 61
Scutellaria epilobiifolia 320; racemosa 401
Scytosiphon lomentaria 59, 270
Sedum roseum 318; telephium, f. purpureum 318
Senecio anonymus 211-214, 216-218; An Earlier Name For Senecio smallii Britton 211; aureus, var. angustifolius 217; confusus 423; earlei 219; smallii 211, 212, 214, 216, 217;

f. tristis 219; sylvaticus 321; tomentosus 211, 214, 216-218; vulgaris 321
Sesuvium microphyllum 415
Setaria geniculata 413; faberi 372
Seymour, Frank C. The Pringle Herbarium 297
Sida elliottii 393
Silene gallica 387
Sisyrinchium exile 415; micranthum 415; montanum, var. crebrum 316
Sium suave 57
Smilax dominguensis 414; havanensis 414
Smilacina stellata, var. crassa 316; trifolia 316
Solanum eleagnifolium 421; chamaesarachidium 364; coniodes 359; coronopus 339
Solidago elliotti 405; graminifolia, var. nuttallii 321; macrophylla 321; odora 160; rugosa, var. villosa 321; sempervirens 53, 54, 56, 321, 423; sempervirens, var. mexicana 423; uliginosa 405
Sonchus asper 322
Sorghum halepense 413
Sparganium americanum 314
Spartina alterniflora 53, 54, 56, 61, 315; patens 53, 54, 56, 61; spartinae 370
Spathelia bahamensis 417
Spergularia canadensis 317; marina 57, 317; rubra 317
Spermacoce aspera 422
Spermolepis inermis 395; patens 395
Spiraea latifolia 318
Spiranthes lucida 158, 160; romanzoffiana 316
Spirogyra 261
Spirulina major 290; subsalsa 291; f. oceanica 291; tenerrima 291
Sphacelaria fusca 268
Spondias purpurea 418
Spongberg, Stephen A. A New Alaskan Species of Erigeron L. (Compositae) 116
Spongomorpha arcta 58, 60, 62
Sporobolus vaginiflorus 135
Spyridia filamentosa 278
Stachys floridana 401; hispida 401
Stanford, Jack W. Umaldy T. Waterfall (1910-1971) 146
Staurastrum 261
Steele, F. L. and A. R. Hodgdon Two Interesting Plants on Mt. Cardigan, Orange, New Hampshire 155
Steironema gramineum 397, quadriflorum 398
Stellaria calycantha, var. isophylla 317; graminea 317; humifusa 317; media 317
Stenandrium carolinae 422
Stenophyllum capillaris 378
Sterk, Fern Frank see Van Fassen, Paul
Stilophora rhizoides 269
Streptopus amplexifolius, var. americanus 316
Striaria attenuata 269
Stylosanthes calcicola 416; tuberculata 416
Suaeda americana 317; maritima 317
Svida microcarpa 396
Swartz, Steven see Colt, L. C., Jr.
Symphoriocarpos orbiculatus 135
Symploca atlantica 291

Talinum triangulare 415
Tanacetum vulgare 321
Taraxacum erythrospermum 410; laevigatum 410; officinale 322
Tennessee, Some Notes on the

Flora of the Southern States, Particularly Alabama and Middle 366
Terminalia muelleri 419
Thalictrum debile 387; dioicum 388; macrostylum 388; mirabile 387; polygamum 318; texanum 388
Thamnidium intermedium 536, 540; mesocarpum, f. penicilliformis 585, 587; rothii 537; spetsbergense 585, 587
Thelypteris palustris, var. pubescens 314
Thermopsis villosa 159
Thysanella fimbriata 386
Tiffney, Wesley N., Jr. A New Station for Saxifraga rivularis L. in the White Mountains, New Hampshire 153
Tofieldia glutinosa 160
Trailliella intricata 273, 279
Trentopohlia daviesii 81, 551, 577; purpurea 536; virgatula 95, 577; var. secundata 577
Trichodesmium thiebautii 291
Trientalis borealis 320
Trifolium angustifolium 391; agrarium 319; pratense, var. sativum 318; repens 319; vesiculosum 391
Triglochin maritima 56, 314; palustre 314
Triosteum (Caprifoliaceae), Tribal Classification of 120; perfoliatum 121
Trismeria trifoliata 412
Tryon, Rolla Aquatic and Wetland Plants of the Southwestern United States (Review) 114
Tunica prolifera 387
Typha latifolia 57, 314

Ulothrix endosporangia 261; flacca 58, 261; subflaccida 261
Ulva lactuca 58, 63, 364; var. latissima 265; var. rigida 265
Uniola nitida 369
Unisema acutifolia 453; cordata 454; f. angustifolia 454; f. latifolia 454; deltifolia 452; heterophylla 453; var. lanceolata 453; var. stenocardia 453; lancifolia 462; f. trullifolia 454; latifolia 452; var. albiflora 453; var. elatior 453; var. pallida 453; var. undulata 453; media 452; var. albiflora 452, 454; mucronata 452; obliquata 452; obtusifolia 452; orbiculata 473; pedunculatis 453; var. parviflora 453; purshiana 452; rotundifolia 453; sagitata 452
Urospora penicilliformis 58
Urtica procera 317; viridis 317
Utricularia resupinata 403

Vaccinium angustifolium, var. laevifolium 320; oxycoccus 320; var. ovalifolium 320; vitis-idaea, var. minus 320
Valeriana pauciflora 404
Van Fassen, Paul and Fern Frank Sterk Chromosome Numbers in Aster 26
Vaucheria 59-62
Verbena bipinnatifida 400
Vermont, New Stations (and) The Environment of Schistostega pennati (Hedw.) Hook & Tayl. 149
Vernonia acaulis 519, 523, 525; angustifolia 519, 523-525, arkansana 519, 523-525; baldwinii 525; ssp. baldwinii 519, 520, 523, 526, 527; ssp. interior 519, 520, 523, 526; blodgettii 519, 523, 525, 526; The Systematic Value of Trichome Complements in a North American Group of 517; ervendbergii 519,

523-525; fasciculata 519, 522-525; flaccidifolia 519, 522, 523, 525; gigantea 519, 523-525; glauca 519, 525; greggii 519, 523-525; interior 525; larsenii 519, 522, 523, 525; lettermannii 519, 523, 525; lindheimeri 519, 522, 523, 525; marginata 519, 520, 522, 523, 525; missurica 519, 520, 523, 525, 526; noveboracensis 519, 523-525; pulchella 519, 523, 525; shaffneri 519, 523-525; texana 519, 523-525
Veronica anagallis-aquatica 482
Vicia cracca 319
Viguirea porteri 408
Viola cucullata 319; pallens 319; septentrionalis 319
Virginia and Maryland, Including the Chesapeake Bay Area, The Marine Algae of 258
Virginia, Phytogeography of the Carices of 248
Vitis munsoniana 393

Warea amplexifolia 389; cuneifolia 389; sessilifolia 389
Waterfall, Umaldy T. (1910-1971) 146
Wicks, Johonet C. Some Morphological Aids in Distinguishing Nuphar microphyllum from Similar Aquatics 65
Withania sordida 355
Woelkerling, Wm. J. The Audouinella Complex (Rhodophyta) in the Western Sargasso Sea 78; The Morphology and Systematics of the Audouinella Complex (Acrochaetiaceae, Rhodophyta) in the Northeastern United States 529

Xanthocephalum dracunculoides 404
Xyris difformis, var. floridana 381; fimbriata 381, 382; iridifolia 382; jupicai 382; longisepala 369, 382; platylepis 382; smalliana 382

Young, Steven B. and Eileen K. Schofield Palynological Evidence for the Late Glacial Occurrence of Pringlea and Lyallia on Kerguelen Islands 239
Youngia japonica 423

Zanthoxylem bifoliatum 417
Zizania aquatica 54, 57, 61
Zostera marina 488; var. stenophylla 314